



CARBON DIOXIDE CAPTURE AND STORAGE AND THE UNFCCC

Recommendations for Addressing Technical Issues

SARAH M. FORBES AND MICAH S. ZIEGLER

SUMMARY

Achieving cuts in energy-related carbon dioxide (CO₂) emissions is critical to avoiding more than a 1.5 degree Celsius (°C) (2.7 degree Fahrenheit [°F]) rise in global temperatures by 2050 and the irreversible and damaging impacts such a temperature rise would have on people and ecosystems.¹ Meeting this challenge will require the international community to implement a portfolio of clean energy technologies and energy efficiency efforts. Most credible analyses project that among these technologies, carbon dioxide capture and storage (CCS) may need to play a substantial role in achieving the necessary emissions reductions. CCS encompasses a suite of existing and emerging technologies for capture, transport, and storage of CO₂ that together can be used to reduce the greenhouse gas (GHG) emissions from fossil fuel power generation and other industrial sources.

CCS and the UNFCCC

A number of countries—including the United States, China, and 27 members of the European Union (EU)—are putting significant resources into the development of CCS technologies, and four commercial-scale projects are in operation in Norway, Canada, and Algeria. At the international level, the role of CCS in new technology mechanisms under discussion at the ongoing United Nations-led negotiations is not yet clear. In an effort to inform the negotiations, this policy brief provides context, concise analysis, and recommendations to Parties for addressing CCS issues raised to date in the twin track United Nations Framework Convention on Climate Change (UNFCCC) and Kyoto Protocol (KP) processes. These issues include:

- Non-permanence, including long-term permanence;
- Measuring, reporting and verification (MRV);
- Environmental impacts;

- Project activity boundaries;
- International law;
- Liability;
- Safety; and
- Insurance coverage and compensation for damages caused due to seepage or leakage.

In addition, the authors explore a broad range of current and future mechanisms and regulatory frameworks whereby the UNFCCC and national governments can consider CCS technologies. The report does not presuppose the successful implementation of CCS around the world. Nor does it make recommendations on whether CCS should be included in specific existing or future UNFCCC mechanisms (such as the Clean Development Mechanism [CDM] or technology mechanisms) or in countries' climate change mitigation commitments and actions (e.g., Nationally Appropriate Mitigation Actions [NAMAs], etc.). Instead, the report focuses on technical issues, with the aim of helping Parties evaluate a robust strategy for CCS as part of international negotiations and establish CCS best practice criteria for governments and the international process, thereby enhancing transparency and ensuring that CCS deployment is safe and effective.

The analysis draws heavily from the World Resources Institute (WRI) report the *Guidelines for Carbon Dioxide Capture, Transport, and Storage* and draws to a lesser extent from WRI's *Guidelines for Community Engagement in Carbon Dioxide Capture, Transport, and Storage Projects*. The report also benefits from the 2005 Intergovernmental Panel on Climate Change (IPCC)'s *Special Report on Carbon Dioxide Capture and Storage*,² the 2006 IPCC *Guidelines for National Greenhouse Gas Inventories*' methodology for carbon dioxide transport, injection and geological storage,^{3,4} and the UNFCCC Experts'

Report on CCS, *Implications of the Inclusion of Geological Carbon Dioxide Capture and Storage as CDM Project Activities (UNFCCC/CCNUCC EB 50)*.⁵

CCS Defined

The term carbon dioxide capture and storage (CCS) as used in this report describes a multistep process that integrates a chain of technologies for the purpose of limiting GHG emissions. The primary target is CO₂, which is captured by separation from gaseous emissions and then compressed, transported, and finally injected into appropriate subsurface geologic formations for long-term storage. This definition excludes methods that would store CO₂ in the water column or ocean seabed; such practices are widely considered environmentally unacceptable. CO₂ can be captured from the emissions of power plants, cement manufacturers, and other industrial facilities and is typically transported by pipeline to underground storage sites. The underground formations used for geologic storage can include saline formations as well as depleted oil and gas reservoirs. The technologies for each step of the CCS process are already used separately for other industrial purposes and in commercial operations around the world. However, to capture and store CO₂, these various technologies must be tailored and integrated specifically for CCS and applied to commercial-scale CO₂ emission sources. There are currently four operating, commercial-scale, integrated CCS projects—Sleipner and Snøvit in Norway, Weyburn in Canada, and In Salah in Algeria—and many others are under construction or in the planning stages.

Key Recommendations

This brief provides policy recommendations on how negotiators and others active in UNFCCC and KP discussions could address the key issues raised to date in UNFCCC discussions around CCS: long-term permanence; measurement, monitoring, and verification; environmental impacts; project activity boundaries; international law; liability; safety; and insurance coverage. There are several potential avenues through which the UNFCCC might consider or influence CCS projects and deployment, most of which are not yet in place. These include a new technology mechanism, various “sectoral mechanisms,” a registry, and the future form of the CDM of the KP, among others (please see Figure 1 for a comprehensive list). Although there is a great deal of uncertainty in the future form and functions of many, if not all, of these avenues, for non-Annex I Parties it seems that some form of review of internationally supported actions is expected, and for Annex I Parties, accounting rules of some

Box 1

WRI and CCS

This brief is one in a series that the World Resources Institute (WRI) has published on CCS. Our work on this topic is not designed to endorse the deployment of CCS technology, but rather to explore whether and how society might safely, reliably, and effectively demonstrate commercial CCS projects on a broader scale in order to determine whether and how CCS might be part of a comprehensive climate change mitigation strategy.

In 2008, WRI published the Guidelines for Carbon Dioxide Capture, Transport, and Storage (see: <http://www.wri.org/publication/ccs-guidelines>). This first attempt to develop best practices to responsibly implement CCS projects resulted from a broad stakeholder process comprised of experts from academia, industry, and nongovernmental organizations (NGOs), primarily from the United States. In the fall of 2010, WRI published the Guidelines for Community Engagement in Carbon Dioxide Capture, Transport, and Storage Projects (see: <http://www.wri.org/publication/ccs-and-community-engagement>), covering key issues for CCS plants in relation to disclosure of information, community engagement in the review and approval of plans, and public participation in general. Other briefs in this series cover CCS development in two critical markets: the EU and China.

form will emerge. Both are needed to enhance transparency and ambition.

Our analysis concludes that the Parties to the UNFCCC should decide whether and when CCS practices are acceptable in the different mechanisms and approaches. However, where CCS is incorporated, best practice criteria—as outlined in Table 1 below—should be established for each of the issues addressed in this brief. These standards should then be integrated into the various functions that might influence CCS projects and deployment. If the Parties pursue our recommendations, these best practices will need to be negotiated and implemented by an appropriate body. This role could be filled by the Subsidiary Body for Implementation (SBI), the Subsidiary Body for Scientific and Technical Advice (SBSTA), or the proposed Technology Executive Committee. However, we would recommend that regardless of which body assumes leadership, best practice criteria should be established by a panel of independent experts representing different geographic regions and with knowledge in the engineering, geological, legal, social, environmental, and financial aspects of CCS. This group would then report back to the appropriate bodies of the UNFCCC. National governments will also play a vital role in any future CCS projects sited within their borders. This paper’s recommendations highlight the importance of national environmental

Table 1

Summary of Key Recommendations

Issue	Recommendation for Projects Recognized or Reported Under UNFCCC Mechanisms	Recommendation for National Governments
All	Establish best practice criteria with input from a panel of geographically diverse, independent experts with knowledge in the engineering, geological, legal, social, environmental and financial aspects of CCS, representing different geographies.	
Long-term Permanence	<ul style="list-style-type: none"> • Establish CCS project criteria to ensure that best practices are employed for the following <ul style="list-style-type: none"> – Criteria for site selection based on geologic characteristics of the site – Operational and long-term monitoring – Risk assessment – Long-term stewardship, including the availability of resources for long-term monitoring 	<ul style="list-style-type: none"> • Establish an environmental regulatory framework that promotes storage security and includes: <ul style="list-style-type: none"> – Criteria for site selection based on geologic characteristics of the site – Operational and long-term monitoring – Risk assessment – Long-term stewardship
Measuring, Monitoring and Verification (MMV) of CCS Efforts*	<ul style="list-style-type: none"> • Establish monitoring criteria for CCS projects that ensure a site-specific MMV plan is developed and implemented which: <ul style="list-style-type: none"> – Covers the area of injected CO₂ and any displaced fluids – Requires data reporting and review – Establishes criteria for determining when monitoring can end 	<ul style="list-style-type: none"> • Establish an environmental regulatory framework for CCS that: <ul style="list-style-type: none"> – Covers the area of injected CO₂ and any displaced fluids – Requires operators to monitor and report key data and information – Establishes criteria for determining when monitoring can end
Environmental Impacts	<ul style="list-style-type: none"> • Review environmental impact statement (EIS) documentation and withhold support for projects that have not conducted an EIS analysis. 	<ul style="list-style-type: none"> • Ensure environmental regulatory frameworks provide for: <ul style="list-style-type: none"> – A compositional analysis of the CO₂ stream, which is then used in the site-specific risk assessment • Conduct a comprehensive EIS analysis for any CCS effort, which includes a risk analysis and public participation.
Project Activity Boundaries	<ul style="list-style-type: none"> • Develop and agree to criteria that evaluate whether an accurate physical boundary has been established and whether best practices for CCS MMV are being employed for CCS projects. 	<ul style="list-style-type: none"> • Ensure an environmental regulatory framework for CCS that requires a monitoring area and project footprint be established based on site specific data, simulations, and risk assessment. • Establish national methodologies for MMV of CCS projects.
International Law	<ul style="list-style-type: none"> • Endorse guidelines for risk management developed under the London Protocol. 	<ul style="list-style-type: none"> • Follow the rules and best practices of the London Protocol and OSPAR, where applicable.
Liability	<ul style="list-style-type: none"> • Develop and agree to procedures for evaluating host country post-closure stewardship mechanisms. • Support projects only where adequate management of liability is evident. 	<ul style="list-style-type: none"> • Develop and agree to clear rules and procedures for managing liability in a CCS project. • Develop and agree to criteria for proving that the CCS project does not endanger human health or the environment, and use these as the basis for transfer of liability and stewardship responsibilities.
Safety	<ul style="list-style-type: none"> • Review the operator's safety record. • Develop and endorse guidelines for risk assessment, environmental impact statements, permanence, and MMV. 	<ul style="list-style-type: none"> • Apply to CCS projects laws that protect worker safety. • Ensure a regulatory framework that prioritizes human and ecosystem safety.
Insurance Coverage and Compensation for Damages Caused due to Seepage or Leakage	<ul style="list-style-type: none"> • Require insurance or other financial security mechanism for supported CCS projects. • Require proof of mechanism for covering any long-term damages. 	<ul style="list-style-type: none"> • Require operators to have insurance during operational project phases. • Develop a national trust fund or other mechanism for long-term stewardship.

Note

* The ability to measure, report, and verify (MRV) CO₂ emission reduction activities is a key requirement of any greenhouse gas mitigation approach, including CCS. Individual CCS projects require a similar, site-specific process oftentimes referred to as measuring, monitoring and verification (MMV).

regulatory frameworks that promote deploying CCS only where it can be done safely and ensure that projects are operated responsibly and risks managed over the long term. Governments will also want to report reductions gained through CCS projects, which will require an established set of international reporting frameworks and internationally agreed practices.

The key recommendations resulting from this analysis are provided at the end of each section and summarized in Table 1.

INTRODUCTION

Purpose of document

This publication analyzes a range of issues concerning CCS that have been raised in the UNFCCC negotiations. These issues, which focus mainly on the storage aspects of CCS, are listed below and derived from the KP's latest decision on CCS, during the December 2009 meeting in Copenhagen, Denmark, (Decision 2/CMP.5), and further described in the draft decision of the chair of Subsidiary Body for Technical and Scientific Advice in June 2010 (FCCC/SBSTA/2010/L.11).

- Non-permanence, including long-term permanence
- Measuring, reporting, and verification (MRV)
- Environmental impacts
- Project activity boundaries
- International law
- Liability
- Potential for perverse outcomes
- Safety
- Insurance coverage and compensation for damages caused due to seepage or leakage

The authors explore each issue listed, with the exception of the potential for perverse outcomes, which unlike the other topics addressed, has not been the subject of past WRI CCS publications. Concluding each section, recommendations are provided for delegations and Parties to consider as next steps in the UNFCCC process.

This report describes how the UNFCCC and national governments can address the concerns that have been raised in UNFCCC discussions and develop procedures in UNFCCC mechanisms to promote protection of people and ecosystems where CCS might be deployed. However, the authors do not make judgments on whether CCS should be included in

specific UNFCCC mechanisms (e.g., CDM or the proposed Technology Executive Committee).

Potentially relevant structures and functions

Given agreement among the Parties, CCS-related issues could be addressed in various proposed and existing UNFCCC fora, including the technology mechanism, registry, KP mechanisms, any market mechanisms being negotiated under the Long-term Cooperative Action (LCA) track, and accounting for Annex I Parties under either the KP or the LCA (see Figure 1). The UNFCCC structures we present are simply one possible scenario and are used to frame the functions we address. Our recommendations apply to the various functions that could influence CCS deployment, wherever they are implemented.

In the October 2010 meetings in Tianjin, China, the Ad Hoc Working Group on Long-term Cooperative Action (AWG-LCA) developed a draft text on the “development and transfer of technologies” that describes a technology mechanism, specifically the structure and functions of a proposed Technology Executive Committee and associated network.⁶ Additional functions have also been elaborated in Chapter IV of the AWG-LCA's negotiating text.⁷ Based on these drafts, the executive committee's tentative mandate includes aligning international efforts with in-country policies and deployment strategies, analyzing policy and technical issues, recommending program priorities and eligibility criteria, developing and transferring technologies, and developing best practice guidelines. This analysis's recommendations can inform these proposed functions and highlight some of the concrete actions a Technology Executive Committee could take with respect to a given technology. Specifically, these recommendations can help the committee formulate best practices, national policies, and eligibility criteria that ensure that CCS technology, if deployed, is done so safely and effectively. The committee could also use these recommendations to provide policy guidance and advice on specific issues, for example, MMV, non-permanence, and project activity boundaries, and on the robust environmental regulatory frameworks required to deploy CCS. Establishing such best practices and criteria will allow the executive committee to acknowledge and proactively address the concerns about CCS raised by Parties in the negotiations.


Further, the Climate Technology Centre and Network's proposed functions provide another avenue to address CCS-related issues. The center and network are expected to provide advice, technical support, and capacity building to developing countries to facilitate technology transfer and deployment.

Through these efforts, the center and network could help developing countries establish or expand the robust environmental regulatory frameworks required for CCS deployment. In addition, the center and network could apply this document’s recommendations when they develop collaborations; customize tools, policies, and best practices; and provide guidance, technical assistance, and training.

The proposed registry is another structure with possible functions that can be informed by these recommendations. According to the facilitator’s reflections from the AWG-LCA’s drafting group on enhanced action on mitigation,⁸ the registry’s functions could include recording and recognizing NAMAs and matching them to international support. Here, there is an opportunity if a Party lists CCS or CCS-ready projects or policies as a NAMA to ensure that actions taken and support given to deploy CCS contain criteria and guidance, which ensure that human health and safety and ecosystems are protected. One possibility is that when matching actions to support, the registry could ensure that appropriate eligibility criteria are established for CCS projects in order to address concerns, such as liability, safety, non-permanence, MRV, environmental impacts, and, notably, the existence of a robust environmental regulatory framework, as detailed in this document’s recommendations.

Under the existing KP, these recommendations could be instituted by establishing criteria for including CCS in flexible mechanisms (either currently existing, such as Joint Implementation and the CDM, or a future KP mechanism). This may be implemented by establishing a CCS project methodology that addresses each of the issues analyzed and ensures that projects are evaluated based on criteria that are designed to protect human health and safety while ensuring that reductions are real and additional. For accounting issues in inventories, national communications, or other mechanisms, the *2006 IPCC Guidelines for National Greenhouse Gas Inventories* (see Box 3) provides methods to incorporate CCS projects. Additionally, for project-based accounting, criteria could be established that ensure a MMV plan is created to support accurate measurement spanning the full physical project boundary and a system is in place for the data to be reported and reviewed by the appropriate authority.

We suggest that at a minimum, the UNFCCC should decide whether and when CCS practices are acceptable in the different mechanisms and approaches. Where CCS is accepted, best practice criteria should be established for each of the issues outlined in this brief by a diverse group of independent experts. However, this report does not attempt to fully explore the re-



spective roles of the UNFCCC and national governments in establishing rules for CCS. For example, there may be tension between the UNFCCC and national regulatory requirements, particularly if a project meets national requirements but is ultimately rejected by the UNFCCC.

THE STATUS OF CCS TECHNOLOGY


CCS integrates a range of technologies in order to reduce the impact of fossil fuel use and other CO₂ emitting activities. These technologies can be separated into three categories—capture, transport, and storage—each encompassing technologies at various stages of advancement (see Figure 2).^{9,10,11,12,13,14}

Capture

The first step in CCS is to capture CO₂, typically from a point source such as a fossil-fueled power plant, biomass combustion, or other industrial sites like ethanol producers, cement or fertilizer manufacturers, and oil and gas refineries.^{9,10} Capture processes initially must separate the CO₂ from the flue

(exhaust) gases to obtain a nearly pure stream of CO₂.² The primary separation and capture approaches are post-combustion, pre-combustion, and oxygen-fired combustion (a.k.a., oxy-fuel). While these technologies exist, further research and development is needed to reduce capital and energy costs and bring such methods to commercial scale, which in this document is defined as a project capturing and storing more than 1 million tonnes of CO₂ annually.^{2,9,10} Meanwhile, industrial sources with relatively pure CO₂ emissions are providing early opportunities for low-cost capture demonstrations using each of the pathways described below. In some applications, this captured CO₂ is then utilized for various purposes, such as enhanced oil recovery (EOR) or carbonating beverages. This is sometimes referred to as carbon dioxide capture, utilization, and storage (CCUS).

Modern post-combustion processes typically use a solvent to separate CO₂ from gas mixtures.⁹ The most common approach, amine scrubbing, has been used since the 1930s to remove CO₂



from natural and hydrogen gas and is utilized at hundreds of plants worldwide.^{9,15} As such, it is considered a commercial and mature technology.^{9,15} However, impurities, low CO₂ concentrations, and low pressures make capturing CO₂ from post-combustion (power plant) flue gases more challenging.² The approach is now operating on limited portions of flue gas from a few power plants, but the technology still needs to be scaled up and improved for widespread adoption by the power sector.^{2,9,16,17}

Pre-combustion approaches are typically integrated with plants that gasify and react fuels to produce a mixture of hydrogen gas and CO₂ (e.g., integrated gasification combined cycle [IGCC] plants).^{9,11} Higher CO₂ concentrations and pressure make separation easier, and variants of pre-combustion capture technology are already widely used in fertilizer manufacturing and hydrogen gas production.² However, there are relatively few full-scale, operational IGCC power plants, and they all lack CCS.^{16,18,19} While effective separation of CO₂ with a pre-combustion system has been proven in industrial plants, it has not yet been applied to an operational power plant.¹¹

Oxygen-fired combustion generally uses an oxygen-enriched mixture of recycled flue gas, as opposed to air, for combustion.^{2,9,11} The resulting flue gas is primarily CO₂ and water, making CO₂ separation and capture easier.^{2,9} However, this approach requires oxygen to be separated from the air before combustion, which presents costs but can be achieved with established cryogenic techniques.^{2,11} Oxygen-fired combustion has been applied to demonstration-scale (e.g., 30 Megawatt [MW]) power plants, and some larger experiments are expected to be commercially implemented by 2015.^{2,9,11,16,20}

Once CO₂ is captured, it is compressed to reduce its volume for easier transportation and to allow for deep underground storage.² Gas compression is routine, and current liquefaction processes for petroleum gas could potentially be scaled up and used for CO₂.² Although CO₂ compression technologies exist, further research and development may reduce their energy use and cost.²¹

As current capture processes require energy to capture, separate, and compress the CO₂, CCS can affect the emissions source to which it is applied. When CCS is added to a power plant, for example, it is often considered to impose an “energy penalty” because the CCS processes use energy the plant would otherwise be able to provide to customers. Thus, to produce the same amount of energy as a plant without CCS, a CCS-equipped plant must consume more resources, often

more fossil fuel and water.²² Research is underway to reduce the energy and water penalty associated with CCS, with a goal of commercially available CCS technology by 2020.²³

Transport

Once captured and compressed, CO₂ typically needs to be transported to where it will be stored or otherwise utilized. Options include pipelines, trucks, trains, and tankers. Pipeline transport is typical for compressed gas, although some tankers might also be adapted for carrying liquefied CO₂.² Since its beginnings in the 1970s, pipeline transportation of CO₂ has become common, and there are already 6,270 kilometers (km) of CO₂ pipelines operating in the United States.^{11,24} While promising, this network would need significant expansion for wide-scale CCS deployment; estimates indicate that 70,000 to 120,000 km of CO₂ pipeline could be needed globally by 2030.⁹ Over land, there is also industrial experience transporting CO₂ by rail and truck, but at much smaller scales than would be required.² At sea, CO₂ tankers also operate at small scales, but technologies researched and developed for petroleum fuels could be adapted and scaled up.²

Storage

Once at an appropriate storage site, CO₂ can be injected into deep subsurface geologic formations for isolation from the atmosphere. Ideal sites are at least 800 to 1000 meters (m) deep (some are 1,500 to 2,000 m deep), have an overlying geologic formation that prevents the CO₂ from escaping, are large enough to store CO₂ over a facility’s lifetime, and are permeable enough to allow CO₂ to be injected at reasonable rates.¹² Many ideal subsurface sites contain saltwater (i.e., saline formations).¹² Injected CO₂ can also be reused beneficially, notably for enhanced recovery of oil, coal bed methane and gas.^{2,10} To ensure that sites are able to safely and permanently store CO₂, many governments develop site selection criteria, often based on international best practices or other technical guidance.²⁵ However, a determination that a particular site is suitable requires site-specific investigation, including detailed site assessment, characterization, and modeling.

The technology and feasibility of CO₂ injection and storage has been demonstrated. Research on geologic storage began in the 1990s; and today, integrated CCS projects in Norway (Sleipner and Snøhvít) and Algeria (In Salah) exhibit the feasibility of commercial-scale CO₂ storage in geologic formations.^{2,10,11,26,27} Sleipner has been operating since 1996.²⁸ EOR projects provide another source of industrial CO₂ injection and storage experience, with some projects dating back to the

early 1970s.^{2,11} For example, the Weyburn project in Canada has demonstrated the CO₂ storage that can be achieved, in conjunction with capture and utilization, in an EOR project.

Storage presents a number of challenges countries are only beginning to address. Notably, long-term stewardship of storage sites requires a regulatory or other competent authority to provide monitoring and potentially remediation of sites over the next several decades and beyond. This stewardship, in turn, requires long-term financing to ensure continued monitoring and maintenance. In addition, the final responsibility for long-term liability is often still undefined.

Integration and scale

Currently, some plants capture CO₂ but do not inject and store it. Other projects inject CO₂ but do not separate it from a flue gas stream. Still others inject CO₂ for EOR but do not necessarily store it. For successful CCS implementation, each piece of the technology chain—capture, transport, and storage—must be integrated into one project and brought to commercial scale. While this scale has been achieved in the gas-processing sector, it is still a major goal for other CO₂-intensive industries such as the power, iron and steel, and cement sectors. After surveying 499 CCS projects and excluding projects that were research-only, completed, cancelled, delayed, or uncategorized, the Global CCS Institute (GCCSI) detailed 213 currently active or planned projects, of which 62 are both integrated and commercial scale.¹⁰ Only a handful of the 62 are operational; and of these, the two aforementioned installations in Norway (Sleipner and Snøvit) and one in Algeria (In Salah) are the only projects to store CO₂ geologically (as opposed to using it for EOR, which is the case for the Weyburn project in Canada). Although a number of additional commercial-scale projects have been proposed, it is uncertain how many will be built in the near future. Some projects will not meet the necessary technical criteria for safe and secure storage, while others will lack the necessary support from the local community.

BRIEF HISTORY OF CCS IN THE UNFCCC NEGOTIATIONS

The most extensive discussion of CCS in the UNFCCC negotiations has been under the KP and specifically regarding whether CCS should qualify as a CDM project activity, including the impact such action would have on the overall CDM market. Since November 2005, the issue has been discussed in the Conference of the Parties serving as the Meeting of the Parties to the KP (COP/MOP) and the SBSTA and has been the subject of many technical workshops, experts' and Executive Board

reports, and submissions from Parties and NGOs.²⁹ However, a final decision on CCS's inclusion in the CDM has been repeatedly postponed because of ongoing discussions regarding outstanding issues related to the safety, environmental integrity, temporality, long-term stewardship, and overall performance of the technology (detailed in the next section). While a complete list of the issues identified at each COP meeting can be found in Appendix A, here we focus on the outstanding issues raised in Copenhagen in December 2009, which form the basis of current discussions. At the 32nd meeting of the SBSTA in June 2010, Parties took note of the issues and agreed that they must be addressed and resolved, with consideration expected to resume at the next SBSTA meeting.³⁰

Some countries, such as Norway, are already implementing CCS and including it in their national inventories.³¹ In the future, other countries may also choose to pursue CCS as a mitigation strategy and want to include it in mitigation commitments, actions, and/or technology mechanisms. Thus, as the end of the first commitment period of the KP draws to a close in 2012, the issues around CCS will need to be more fully addressed so that if CCS is to be included, it can be better integrated and managed in UNFCCC processes. By Parties' addressing these outstanding issues, the UNFCCC should provide certainty and guidance that could help those countries considering and hoping to pursue CCS.

ISSUE-BY-ISSUE ANALYSIS AND RECOMMENDATIONS

For each CCS-related issue below, we attempt to (1) concisely summarize the state of knowledge on the issue from a technical perspective, (2) describe how CCS policies or regulations in other jurisdictions have and/or can address the issue, and (3) make recommendations for next steps that UNFCCC negotiators and governments can take to resolve the issue. As these issues have been addressed in many other technical reports and journal articles, as well as a CDM Executive Board report,⁵ we include appendices to direct readers toward key sources of additional information (notably, Appendix B). Our recommendation-oriented approach is designed to ensure that if the UNFCCC decides to recognize CCS projects, it is in a context whereby these concerns can be adequately addressed. The report is organized to mirror the issues as described in KP Decision 2/CMP.5, and as such the issues presented will be:

- Non-permanence, including long-term permanence;
- Measuring, monitoring, and verification (MMV);
- Environmental impacts;

- Project activity boundaries;
- International law;
- Liability;
- Safety; and
- Insurance coverage and compensation for damages caused due to seepage or leakage.

Non-permanence, including long-term permanence

The issue of long-term permanence is primarily a concern about storage security—whether CO₂ stored in the subsurface will in the future leak or seep to the surface. While long-term permanence is mainly considered a technical challenge, the potential consequences of impermanence make it one of the most pressing operational challenges affecting long-term liability, financial considerations such as insurance services and risk premiums, environmental effectiveness, health and safety issues, and intergenerational issues.

In various submissions to the SBSTA, some countries and organizations have expressed concerns about possible leakage while others have expressed confidence that CO₂ can be stored indefinitely. Both groups cite the 2005 IPCC Special Report on CCS, which both (1) acknowledges the potential risk of leakage and uncertainty based on limited industrial-scale CCS projects and (2) emphasizes that such leakage is unlikely *IF* a CCS project is selected carefully, operated responsibly, and monitored over long time frames.² As described in WRI's *Guidelines for Carbon Dioxide Capture, Transport, and Storage*, CCS is not a risk-free technology. Each CCS effort will come with a set of site-specific risks, including potential pathways for the CO₂ to escape from the storage reservoir. There are also many sites where CCS will not be possible because they lack the appropriate geology to support secure storage. The WRI Guidelines recommend that storage operators assess the suitability and security of a geologic formation for CO₂ storage based on a site characterization that includes collecting geologic data at the storage site. This can help ensure that only suitable sites are selected.

Following the selection of a suitable storage formation, site-specific operating and monitoring plans should be designed based on the information collected during the site characterization phase. Implementing these plans should help ensure that storage operations are undertaken safely. If risks are identified through a comprehensive site-specific risk assessment, they can often be avoided or managed, and the likelihood that the CO₂ will be contained indefinitely can be increased. In the event of CO₂ leakage, there is also a series of leak mitigation approaches

Box 2

Geologic Storage of Carbon Dioxide

The assertion made by many scientists that carbon dioxide (CO₂) can be contained in geologic formations rests upon both empirical evidence and geologic investigation.^{2,12} Trapping of CO₂ in underground reservoirs already occurs naturally, in what the Intergovernmental Panel on Climate Change (IPCC) describes as a “widespread geological phenomenon” and has a few natural and industrial analogues, including natural gas storage.² While geologic storage of CO₂ presents its own unique challenges, it is expected to be successful at carefully selected, appropriately monitored and maintained storage sites.²


Over the entire area of storage, the primary trapping mechanism is typically a confining zone (a.k.a., “cap rock”), which is a formation above the storage site that has low permeability and prevents the injected CO₂ from traveling toward the surface.^{2,12} When injected below the confining zone, the CO₂ fills pore spaces in the geologic formation, which stores and provides another trap for the CO₂.² Sequestered in the subsurface, the CO₂ is then subject to a variety of processes that are expected to make its storage more permanent.^{2,12} For example, many proposed storage sites are saline formations, where a brine solution already fills the pores of a geologic formation. The CO₂ is expected to begin dissolving into this solution, a process that increases retention over the course of centuries.^{2,12} Then over thousands of years, chemical reactions can take place to store the CO₂ in minerals.^{2,12} When injecting into subsurface coal or shale, CO₂ adsorption onto and possibly absorption into the organic matter is theorized to provide long-term immobilization.² An appropriate geologic formation has a confining zone, pore space, and typically a combination of processes that are expected to work together to lower the risk of leakage.² Other geologies, however, might not be suitable for CO₂ storage; thus potential storage sites require extensive site characterization and monitoring.

that can be deployed to prevent or reduce further leakage or damage.²⁵ Moreover, researchers should continue to refine methodologies and develop new tools for site characterization and risk assessment as well as seek a better understanding of the CO₂-trapping mechanisms (detailed in Box 2).

As CO₂ storage relies on site-specific geologic conditions, long-term permanence requires established rules and procedures for ensuring that (1) selected sites have the appropriate geology, (2) the project is constructed and operated responsibly, and (3) importantly, the risks are understood, minimized, and managed. A handful of countries and regions—such as the EU, UK, United States, Australia, and Norway—are in the process of developing or have already developed these regulations, and they have addressed questions of permanence and possible CO₂ leakage or seepage from the subsurface with the following provisions:³²

FIGURE 3

Geologic Storage Formation Pore Space



Note: This scanning electron micrograph image shows the pore spaces in a geologic storage formation. In these pores inside the rock, the CO₂ would be physically trapped, over time the CO₂ would also mix with the fluid in the formation and dissolve, and over very long time-frames the CO₂ would be expected to mineralize into stable carbonates.

Source: Image courtesy of the Illinois State Geologic Survey.

- criteria for site selection that focus on geologic (both physical and chemical) characteristics;
- requirements for risk assessment and contingency plans; and
- mandatory monitoring and data reporting.

In addition, an integral aspect of any CCS effort is employing the site monitoring results in updating the computational models of CO₂ storage to generate a better risk assessment of possible paths of the injected CO₂ plume. Emerging regulations, such as those in the United States, now codify this iterative improvement, requiring that simulation and risk assessments be updated with monitoring data and repeated during and after injection.

As UNFCCC negotiators consider the challenge of long-term permanence for CCS, we recommend that criteria be established and applied to ensure that if the UNFCCC has a future role in approving or supporting projects, any approved projects are selected and operated responsibly, designed to promote secure storage, and monitored over the long term.

Such technical criteria should supplement and guide projects, but would not replace the need for national environmental regulatory frameworks. At a minimum, UNFCCC CCS project evaluation criteria should be established, incorporating the most up-to-date technical expertise. To address questions about permanence, the criteria should ensure that a project undergoes the following:

- site selection and characterization based on site-specific geology;
- risk identification, assessment, and management; and
- a long-term monitoring plan.

As national governments consider how to address long-term permanence for CCS, we recommend that they consider the lessons learned from the regulatory frameworks in other regions and countries. Governments should establish a national environmental, health, and safety regulatory framework that is designed to promote storage security and includes scientifically sound requirements for site selection, operation, long-term monitoring, risk assessment, and long-term

stewardship.^a Such a framework should include criteria that span the lifetime of a CCS project: project design, operation, and post-closure.

Measuring, monitoring, and verification (MMV)

The ability to measure, report, and verify (MRV) CO₂ emission reduction activities is a key requirement of any GHG mitigation approach, including CCS. Individual CCS projects require a similar, site-specific process often referred to as measuring, monitoring, and verification (MMV). Although there are established protocols for MMV of CCS projects, such as the *2006 IPCC Guidelines for National Greenhouse Gas Inventories*, it remains technically impossible to accurately measure the volume of CO₂ after it is stored in the subsurface or to establish a single set of MMV tools that can be applied universally to all CO₂ storage sites. While measurement and monitoring of CO₂ during the capture and transport stages of a CCS effort is not substantially different from other industrial activities, the issue of long time frames for geologic storage requires that a decision be made on when, if ever, it is acceptable to stop monitoring a CO₂ storage facility.

The objective of MMV for a CCS project is to ensure that the injected CO₂ remains stored in the subsurface. Because geologic site conditions vary, reporting requirements have focused on the development and implementation of site-specific monitoring plans. These plans employ a suite of technologies to monitor the distribution of CO₂ in the storage formation and to detect leaks. Such monitoring plans are applied through the lifetime of a project. In addition, requirements for data collection and history-matching are also often included.^b Such requirements ensure that risk assessment and CO₂ simulation models developed during site characterization are periodically recalibrated with real results as the injection proceeds. Instead of requiring specific monitoring tools, CCS regulations tend to employ a performance-based approach, where the operator must identify how a given set of criteria will be monitored and satisfy containment requirements. Important criteria for monitoring and data reporting are presented in Table 2, along with examples of monitoring tools. Regardless of the tools used, the monitoring plan should comprise a strategy designed to ensure that key information (labeled criteria in Table 2) is collected, assessed, and reported. Suitable monitoring areas are established to encompass the entire project footprint, including

a. The authors recognize that a CCS regulatory framework may need to be designed to fit within the context of already existing environmental laws.
b. Comparing actual monitoring results with what computer models predicted, and in turn improving the models.

Box 3

The 2006 IPCC Guidelines for National Greenhouse Gas Inventories

The *2006 Intergovernmental Panel on Climate Change (IPCC) Guidelines for National Greenhouse Gas Inventories* (hereafter, 2006 Guidelines) is the latest in a series of guidance documents provided by the IPCC to support the UNFCCC's greenhouse gas inventory reporting requirements. It is a revision of the 1996 Guidelines, and along with good practice documents^a it provides the current methodology parties shall use to "estimate and report on anthropogenic emissions by sources and removals by sinks of greenhouse gases not controlled by the Montreal Protocol."¹ In 2011, the UNFCCC's Subsidiary Body for Scientific and Technological Advice (SBSTA) is expected to adopt the 2006 Guidelines as the methodological standard for inventories starting in 2015.²

While the 1996 Guidelines do not address industrial CCS, the 2006 Guidelines provide guidance on emission estimates for capture, transport, injection, and geologic storage of CO₂.^{3,4} Notably, the 2006 Guidelines provide detailed (Tier 3) procedures for estimating emission from storage, including guidance on site characterization, assessment of leakage risk, modeling, monitoring, validating, and reporting. The 2006 Guidelines also address CO₂ used for enhanced oil and gas recovery and elucidate negative emissions obtained by capturing and storing CO₂ from biomass combustion.

a. The *Good Practice Guidance and Uncertainty Management in National Greenhouse Gas Inventories* and the *Good Practice Guidance for Land Use, Land-Use Change and Forestry*

Sources:

1. UNFCCC. "Updated UNFCCC reporting guidelines on annual inventories following incorporation of the provisions of decision 14/CP.11. Note by the secretariat." Document code: FCCC/SBSTA/2006/9. Geneva, Switzerland: United Nations Office at Geneva, (18 Aug 2006). Available at: http://unfccc.int/documentation/documents/advanced_search/items/3594.php?rec=j&preref=600003988#beg.
2. UNFCCC Secretariat. "Use of the 2006 IPCC guidelines for national greenhouse gas inventors and revision of the UNFCCC reporting guidelines for Annex I Parties to the Convention." Available at: http://unfccc.int/national_reports/annex_i_ghg_inventories/reporting_requirements/items/5333.php.

both the expected area of the injected CO₂ (i.e., CO₂ plume) and any area where the formation's fluid is expected to have a significantly elevated pressure.^c The precise project footprint would then be evaluated and revised based on operational monitoring and reporting.

Research is underway to develop new tools for MMV and to test existing tools in commercial-scale demonstrations. As governments propose and adopt CCS regulations, the emerging global

c. The "formation fluid" includes the stored CO₂, often combined with brine or other fluids already extant in the geologic formation.

approach to MMV typically allows for flexibility in monitoring tools and establishes a project footprint and monitoring area that extends beyond the CO₂ itself. Monitoring duration is an issue where there seems to be a lack of consensus among national regulations. This uncertainty likely results because there is no universal, scientific prescription that can recommend monitoring for a given number of years; the best solutions are site-specific options. The alternative is to utilize a performance-based approach to monitoring duration and establish a set of criteria that must be demonstrated prior to cessation of monitoring and are aimed at demonstrating that the stored CO₂ is permanently contained and will not harm human health or the environment in the future.^d The relevant criteria developed in the WRI CCS Guidelines process are described in detail in the liability section of this paper (see page 15).

As UNFCCC negotiators consider MMV for internationally supported projects or Annex I accounting for reported CCS projects, we recommend that:

- a site-specific monitoring plan is developed and implemented over the full project footprint;
- procedures are in place to ensure that monitoring data are collected, reported, and reviewed; and
- a set of criteria be established to determine whether and when it is safe for any specific project monitoring to cease (see Liability section for proposed criteria).

Furthermore, the UNFCCC should not approve or support CCS projects that cannot satisfy these criteria and should support capacity building for countries without experience in implementing MMV for CCS projects.

As **national governments** consider addressing MMV for CCS, we recommend that a national environmental health and safety regulatory framework be established at the national or provincial/state level and that it includes MMV requirements that necessitate an operator appropriately monitors and reports key information, including at a minimum the criteria listed in Table 2. MMV efforts should also cover the entire project footprint and be continued until the operator demonstrates, and the regulatory authority agrees, that it is safe to cease monitoring (based on established performance-based criteria for site closure, either alone or in combination with a standard period of time).

d. Such an approach is described in the 2008 *Guidelines for Carbon Dioxide Capture, Transport, and Storage*, published by the World Resources Institute (WRI) (see page 103, part d).

Table 2

Criteria for CCS Monitoring and Example Monitoring Approaches

Criteria	Example Monitoring Approaches
Injected Volume	Flow meter
Injection Pressure or Rate	Pressure meter
Composition of CO ₂	Chemical analysis of injectate
Spatial Distribution of CO ₂ Plume	Time-lapse seismic, satellite radar interferometry (InSAR), monitoring wells, microseismic, microgravity, vertical seismic profiling, crosswell seismic, formation fluid chemistry from monitoring zone
Reservoir Pressure and Temperature	Downhole pressure sensor, Bragg fiberoptic grating, thermocouples
Well Integrity	Cement casing and imaging logs, vertical seismic profiling, well-head detection devices, mechanical integrity testing
Amount of Any Measurable Leakage	Groundwater sampling, CO ₂ monitoring, artificial tracers/isotopes, soil-gas surveys, LIDAR atmospheric eddy co-variance

Environmental impacts

A CCS project, like any industrial activity, poses some potential site-specific environmental impacts. In the UNFCCC context, two specific issues have been raised in submissions in the context of the discussions regarding inclusion of CCS in the CDM: the potential impurities in the CO₂ stream and the difficulty of incorporating CCS into an environmental impact statement or assessment (EIS or EIA).

Using available capture technologies to acquire CO₂ from various industrial facilities may result in CO₂ that contains trace impurities. For example, where oxygen-fired combustion is employed as a capture approach at a coal-fired power plant, the purity of the CO₂ can range from 80 to 98 percent.² Common co-constituents in the captured CO₂ from any industrial facility include trace amounts of sulfur dioxide (SO₂), nitrogen oxides (NO_x), hydrogen sulfide (H₂S), carbon monoxide (CO), methane (CH₄), nitrogen (N₂), argon (Ar), and oxygen (O₂).²⁵ The quantity of each co-constituent varies depending on the type of industrial facility and type of capture and compression units. Because H₂S poses human health and safety risks at low concentrations, its presence requires due diligence and extra precautions, although it should be noted that Canada has experience safely transporting and injecting H₂S-rich gases.²

Oxygen can also introduce technical challenges during storage by stimulating growth of microbiological organisms in the subsurface.²⁵

In the context of the existing national environmental regulatory frameworks for CCS, regulators have provided many definitions of the CO₂ stream to be injected, ranging from “greenhouse gas” (Australia) to “[consisting] overwhelmingly of CO₂” (EU).³³ The EU requires that concentrations of any co-constituents be below levels that would affect the integrity of the transport infrastructure and storage site or pose a risk to human health or the environment.³³ In this context, a composition analysis of the CO₂ stream is required and serves as a key component in the site-specific risk analysis.

A number of comprehensive EIS efforts for CCS projects have been completed while incorporating the long-term leakage risks (see list in Appendix B). These EIS efforts have considered risk scenarios and analyzed potential impacts of a project over time while including public participation and a review of draft documentation. A comprehensive EIS will evaluate the full range of potential environmental impacts, including consumption of energy and cooling water, which may be increased when CCS is incorporated into an existing power plant or other industrial facility. Researchers have also raised concerns over potential eutrophication^e from nitrogen compounds utilized in certain CO₂ capture technologies (such as amines) as well as possible contamination from heavy metals mobilized by CO₂ stored in the subsurface.^{34,35,36}

CCS’s environmental impacts are the subject of current research and not explored in detail here. As pilot and commercial-scale demonstrations proceed, research can help identify opportunities to lower CCS facilities’ extra energy and water consumption and demonstrate and develop capture technologies that will minimize or eliminate the risk of eutrophication.^{37,38} Additional research is also needed to refine methodologies for robust risk analysis and to further explore the possible leaching of heavy metals and other geochemical reactions that may occur in the subsurface.

To address the environmental impacts of CCS, we recommend that **UNFCCC negotiators**:

- establish criteria whereby the CO₂ purity of a potential project is incorporated into the site-specific risk analysis and management plan,

e. Eutrophication is the significant growth of algae and other aquatic species in the presence of artificial nutrients.

- ensure that supported projects have been subject to an EIS and risk assessment, and
- review and assess EIS and risk assessment documents in determining whether to support a CCS project.

As **national governments** consider how to address CCS’s environmental impacts, we recommend that a robust environmental regulatory framework be established for CCS and that this framework requires:

- a compositional analysis of the CO₂ stream and
- the use of the details of the analysis as part of the site-specific risk assessment.

Moreover, all CCS efforts should be subject to a comprehensive EIS analysis that includes an analysis of the risk of leakage over time and public participation in the EIS process, either via public hearings or more involved public consultation engagement.


Project activity boundaries

Parties have raised concerns regarding project activity boundaries because of the challenges in capturing all relevant emissions, the potential for projects to span international boundaries, and the challenge associated with defining the spatial and temporal boundaries of a CCS project.³ As described in the MMV section, there are some technical and temporal challenges when establishing a physical (or spatial) project boundary for a CO₂ storage effort. As illustrated in Figure 4, the size of the injected CO₂ plume increases over time, and the impacted area will extend beyond the CO₂ itself. The physical project boundary also includes any infrastructure associated with CO₂ capture and transportation.

Additional research is currently underway to identify how the CO₂ plumes and areas of elevated pressure from different wells interact in the subsurface. Moreover, any one project may include several points of injection that together with their associated injected CO₂ plumes comprise the spatial project boundary. However, the uncertainty in precisely locating the plume decreases over time as operational monitoring data is incorporated into the computational simulation and the models and risk analysis are updated. After injection stops, the rate of CO₂ migration within the storage reservoir decreases.

Project boundaries are also important from a GHG accounting perspective. In this respect, establishing a CCS project boundary is not substantially different from establishing a boundary for other mitigation projects. Where there is a significant energy penalty (such as CCS combined with power production),

FIGURE 4

Changes in CO₂ Project Footprint Over the Lifetime of a Project

Source: Image courtesy of the Illinois State Geologic Survey.

the emissions associated with the increased energy use should be taken into account when estimating the reduction associated with the stored CO₂. A decision will also need to be made for CCS on whether project boundaries should be extended to include the life cycle emissions, including the upstream GHGs associated with mining and transporting coal or other input to the industrial site. It is essential that any fugitive emissions from the project's capture and transport stages be accounted for, along with any detected CO₂ leakage from the subsurface. The emissions reductions from a CCS project are generally measured by the volume of CO₂ injected, minus the fugitive emissions and the impact of the energy penalty, as described in the 2006 *IPCC Guidelines for National Greenhouse Gas Inventories*, (see Box 3). As experience is gained in reporting and verifying emissions from CCS projects, the methodology for establishing spatial and temporal boundaries can be improved and should be updated at least once every decade. The EU Emissions Trading Scheme has another detailed methodology following the same principles.³⁹

Methodologies for establishing the spatial boundary of a CCS project are already being incorporated into environmental regulatory frameworks for CCS, such as the EU Directive for Geologic Storage. These methodologies employ simulation and risk assessment as described in the MMV section and

include the land area of the full project footprint (including that above the plume's predicted location) over the lifetime of the CCS project.⁴⁰

As **UNFCCC negotiators** consider the technical and legal basis of establishing project boundaries for CCS, we recommend that prior to a decision (for example, by the CDM methodology panel) on whether to support a project, the UNFCCC should ensure that:

- an accurate project boundary has been established and
- best practice MMV methodologies for emissions reduction accounting will be employed for CCS in the relevant sectors.

As **national governments** consider project boundaries for CCS efforts, we recommend the establishment of an environmental health and safety regulatory framework that requires a monitoring area and project footprint be defined based on site-specific data, simulations of the CO₂ injection, and a comprehensive risk analysis. This effort must also be supported by established methodologies for calculating and reporting the GHG reductions from CCS projects.

International law

Some Parties have expressed concern over the lack of an international law governing CCS^f because domestic regulations are not yet in place to inform the establishment of an international framework. Concern has also been raised because the relevant Marine Treaties were not designed to accommodate CCS. This section summarizes where international law has acknowledged CCS as a legitimate mechanism for CO₂ disposal and the international standards already in place for CCS.

International law becomes particularly important in cases where the physical project boundary crosses national borders, enters international waters, or enters national waters that are governed by international treaties.^g Recent years have seen parties to a number of international marine treaties work to amend those treaties so that CCS projects are allowed under defined circumstances. For example, the Convention on the Prevention of Marine Pollution by Dumping of Wastes and Other Matter 1972 (London Convention) and the Protocol of 1996 (London Protocol) have been amended to allow and control CCS.^{41,42,43,44,45} In the context of the London Convention, a framework for risk assessment and management was developed and adopted, and it includes guidelines for management as well as site selection, EIA, and monitoring.^{45,46} In 2006, the London Protocol, which prohibits ocean disposal of any material not specified in the Protocol, was amended to allow “CO₂ streams from CO₂ capture processes” for sub-seabed CO₂ storage.^{44,47} Article 6 of the Protocol was also recently amended to allow for the export of CO₂ for CCS purposes.⁴⁵ Moreover, the Convention for the Protection of the Marine Environment of the North-East Atlantic (OSPAR) has also addressed CCS.⁴⁸ Although OSPAR does not have the global implications of the London Convention, it includes 15 countries and the EU.⁴⁹ Mirroring the changes to the London Convention, OSPAR was amended in 2007 to allow CCS, and guidelines for risk assessment and management were adopted.⁴⁸

Although these actions allow CCS under international treaties, CCS projects that have spatial project boundaries that span national borders will require coordination and regulatory approval from both host governments. In its directive concerning

CO₂ storage, the EU requires member state authorities to jointly meet the regulatory requirements.³³ Under the London Protocol, countries wishing to undertake transboundary CCS projects are required to enter into an agreement on their respective responsibilities. The *2006 IPCC Guidelines for National Greenhouse Gas Inventories* also include provisions for reporting emissions from transboundary CCS projects.

As UNFCCC negotiators consider international law governing CCS, we recommend that the London Protocol guidelines for risk assessment and management be applied by the UNFCCC.

As national governments consider international law for CCS, we recommend that they apply the rules and guidelines as outlined under the relevant existing treaties and agreements.

Liability

The lack of established procedures for addressing short- and long-term liability for CCS has been raised as a concern. The term liability in a CCS context includes:

- financial compensation for the affected individuals or entities in the event of unexpected leakage that harms people or the environment,
- carbon liabilities associated with international trading schemes and other national market mechanisms, and
- post-closure stewardship (routine maintenance and monitoring) of CCS sites.

As with many aspects of CCS, potential impacts and liabilities are often site specific. While some broad categories of possible impacts exist (e.g., release of CO₂ to the atmosphere, CO₂ leaking from storage complex and into underground sources of drinking water, etc.), the actual probabilities of these events occurring and their associated liabilities are currently determined on a site-specific basis. Efforts are being made to provide broad estimates for risks and liabilities as the research evolves.

At the time that CCS discussions first began in the UNFCCC, there were no policies that provided national, state, or provincial clarity on long-term stewardship and liability for CCS. A range of policy options and approaches are now being implemented, as summarized in Table 3. Most of these policies require that the liability and stewardship responsibilities for a CCS effort rest with the project operator until injection ceases and a post-closure monitoring period has been completed to the satisfaction of a regulatory authority. Some governments have elected to after the post-closure period assume the liability either for specific CCS projects that they sponsor or for CCS projects more broadly. Such transfer of responsibility is usually contingent

f. For example, see a recent submission to the 32nd session of the Subsidiary Body for Scientific and Technological Advice (SBSTA): *Views Related to Carbon Dioxide Capture and Storage in Geological Formations as a Possible Mitigation Technology*, available at: <http://unfccc.int/resource/docs/2010/sbsta/eng/misc02a01.pdf>.

g. Carbon dioxide (CO₂) storage is not expected to occur, and is often forbidden, in the water column. The water column is defined here as the continuous vertical mass of water from the surface to the bottom sediments of a water body. However, a project boundary includes the land (and water) above the CO₂ plume's extent in a given geologic formation.

on issuance of a site-closure certificate, which is granted when the operator has met the agreed upon financial and monitoring obligations and the site has been determined by a regulatory authority to not pose a significant threat of endangering people or ecosystems. The costs of stewardship are often linked with liability and are funded by a fee paid by the project operator in advance, typically during the injection phase.

Many NGOs assert that the operator should remain responsible for liability and post-closure stewardship indefinitely, because such responsibility encourages due diligence in safe operations.⁵⁰ However, industry CCS experts argue that the uncertainty regarding such first-of-a-kind CCS efforts warrants government support, and in some cases indemnification.⁵¹ Many other experts feel that industry should be responsible during the operational phases of a project and immediately after injection but concede that the government is the only entity that might exist long enough to provide the long-term oversight necessary for a storage site.

Additional research and discussion is needed in this area. Because the first CCS projects are just being initiated, there is little available information on the actual costs of post-closure stewardship and liability coverage. In addition, the approaches taken for the first CCS projects might be revised as additional experience with the technology is gained. For example, a liability framework for the first projects might have the government assume liability after operations cease, but in the future, mechanisms should be designed to internalize long-term costs for monitoring, stewardship, and liability in the planning and operation of a CCS project.

A key point in the discussions around liability is determining whether and when responsibility could be transferred to the government or another entity. As mentioned in the MMV section, WRI's CCS Guidelines^h provide a set of criteria designed to ensure that a given CCS effort is not expected to pose a risk to human health or the environment in the future. Specifically, these criteria include a demonstration of all of the following:

1. The estimated magnitude and extent of the project footprint, based on measurements and modeling
2. That CO₂ movement and pressure changes match model predictions
3. The estimated location of the detectable CO₂ plume based on measurement and modeling
4. Either (a) no evidence of significant leakage of injected or displaced fluids into formations outside the confining zone or (b) the integrity of the confining zone
5. That, based on the most recent geologic understanding of the site, including monitoring data and modeling, the injected or displaced fluids are not expected to migrate in the future in a manner that encounters a potential leakage pathway
6. That wells at the site are not leaking and have maintained integrity

As UNFCCC negotiators consider liability for CCS projects, we recommend procedures be established for ensuring that post-closure stewardship and liability will be managed by a

h. The World Resources Institute's *Guidelines for Carbon Dioxide, Capture, Transport, and Storage*

Jurisdiction	CCS Liability Framework	Application
Australia	The Australian Government accepted 80 percent and the Western Australian Government accepted 20 percent of any post-closure liability for CCS in the long term.	Gorgon liquified natural gas project
Canada	There is no unique liability for CCS; it is governed by the same rules as oil and gas operations, although provincial rules are under consideration in Alberta and Saskatchewan.	All CCS projects
European Union	Liability and responsibility for CCS is transferred to the member state's "competent authority" after operator proves that there is no risk of leakage and completes 20 years of post-closure monitoring.	All CCS projects
United States	State-level policies are in place in seven states (Illinois, Kansas, Louisiana, Montana, North Dakota, Texas, and Wyoming) and include a variety of policy approaches from operator retains liability to state accepts full liability/responsibility. No national framework for CCS liability exists.	All CCS projects in select states
United Kingdom	Adopted the EU directive, with the government acting as the "competent authority".	All CCS projects

competent institution—such as the operator, the government, or another authority—over the long-term. The procedures should be clarified and in place in advance of project support. These mechanisms should be designed to internalize long-term costs for monitoring, stewardship, and liability in the planning and operation of a CCS project.

As **national governments** consider liability for CCS efforts, we recommend that procedures for transfer of responsibility be clearly articulated and based on the list of criteria provided in this section and expanded upon in WRI's CCS Guidelines. Where responsibility will not be transferred to the host government, the responsibilities of the project operator over the long-term should be clearly articulated to include both post-closure stewardship and liability.

Safety

Human health and safety has been the topic of considerable research on CCS and is the primary focus of risk assessment, management, monitoring, and mitigation approaches. However, concerns remain because CO₂ is an asphyxiant at high concentrations.^{52,53,54} The risks of exposure to such high concentrations of CO₂ are greatest during the operational phases of a project and are borne primarily by on-site workers. However, safety over the long-term storage time frame must also be considered, even if long-term leaks are not expected.

Industry experience with underground injection of CO₂ for EOR indicates that the operational risks of worker exposure to CO₂ can be managed with existing industry best practices for workplace safety and by controlling injections to avoid well blowouts or other incidents that could expose people to high concentrations of CO₂.²⁵

While CO₂ disperses readily in turbulent air, a concern is that slow leaks could result in long-term exposure to low CO₂ concentrations and might go undetected. Similarly, CO₂ could pool in a low-lying area such as a valley, basement, or a body of water, and it could pose a threat if not detected and mitigated. While these slow leaks could arise from capture, transport, or storage steps, it is typically investigated as a risk associated with storage. While still a subject of continued research, this concern is being addressed by establishing guidelines, regulations, and due diligence in risk analysis, project siting, and monitoring that extends over the lifetime of a project, as has been described in other areas of this paper. CCS projects should be addressed on a site-specific basis and should not move forward where there are risks of human or ecosystem exposure that cannot be managed.

As **UNFCCC negotiators** consider the safety of a CCS project, they should adopt the recommendations outlined in this paper for non-permanence, risk assessment, EISs, and MMV, as discussed previously.

As **national governments** consider the safety of CCS, they should ensure that worker safety laws apply to CCS projects and that mechanisms are in place for an environmental regulatory framework that protects people and the environment from potential exposure to the captured and stored CO₂ during all phases of a CCS project. For example, standards for capture facilities or pipeline and well construction would be key safety components of such a framework. CCS projects should not be conducted where they cannot be done safely.

Insurance coverage and compensation for damages due to seepage or leakage

Over the past year, Parties and NGOs have debated whether project insurance should be compulsory for CCS efforts.^{55,56} Insurance policies are available for operating CCS projects, and such policies are typically renewed on an annual basis. These policies are being designed based on the current understanding of risk management in CCS projects and will likely evolve over time. Insurance coverage is already available to serve as the primary mechanism for compensation of damages during the operational phases of a CCS project. In addition, large companies can “self-insure.” Some experts have questioned whether insurance is the most effective or appropriate mechanism for CCS, as other financial security mechanisms are available and could be employed to the same end.⁵⁷

Over the long term, where the responsibility for liability and stewardship might transfer to the government, a trust fund or other mechanism for funding any unexpected damages is often considered.⁵⁸ For example, a trust fund might be established with funding collected from the CCS project operators on a fee-per-ton-of-CO₂ basis. As the first commercial CCS demonstration projects are conducted, the results of the site-specific risk analysis can be used to estimate the costs of possible damages and influence trust fund design for compensation of longer-term damages. Intelligent trust fund design will be needed to ensure that trusts remain effective and robust. For example, in a 2009 article, Dooley et al.⁵⁹ propose that a fund should be established with (1) strong oversight regarding CCS site selection and fund management and (2) a clear process for periodically valuing the funds and mapping the fund to the risk profile of the pool of covered CCS projects.

UNFCCC negotiators should require that CCS projects recognized under the UNFCCC have insurance (or equivalent coverage with other financial security mechanisms, if, for example, self-insured) as well as a mechanism for compensating any damages incurred in the long term and providing funding for any corrective actions (either by insurance or a host-government trust fund).

As national governments consider the design of trust fund mechanisms that might complement insurance policies available during the operational phases of a project, they should ensure that the appropriate oversight and periodic valuation are in place. National environmental regulations for CCS projects should ensure that insurance is required up until a point where responsibility might transfer to the government or another competent entity, and that the entity receiving responsibility can itself provide for insurance.

RECOMMENDATIONS AND CONCLUSIONS

Many of the issues concerning CCS that have been raised in the UNFCCC context can be addressed given the current state of knowledge. As additional research is completed and the technology is demonstrated at commercial scale, CCS's technical aspects and policy implications will become clearer and better understood. This paper reviewed the nine issues raised in the latest round of discussions and provided recommendations for next steps by the UNFCCC and national governments that can facilitate addressing these issues. These recommendations can be implemented through criteria, best practices, procedures, or other functions attributed to any number of proposed UNFCCC structures that could guide future deployment of commercial-scale CCS projects and further research into specific areas. Our recommendations are summarized in Table 1 at the beginning of this document.

ABOUT THE AUTHORS

Sarah M. Forbes is a senior associate at the World Resources Institute (WRI) where she currently leads WRI's CCS efforts. Sarah was the lead author on the *Guidelines for Carbon Dioxide Capture, Transport, and Storage* and *Guidelines for Community Engagement in Carbon Dioxide Capture, Transport, and Storage Projects*. Her past publications include work on regulatory barriers for CCS, the role of CCS in state climate change activities, CCS in China, and protocols for reporting CCS projects as greenhouse gas reductions.

Micah S. Ziegler is a research assistant in the Climate and Energy Program at WRI. He explores how to incorporate mutual trust and confidence among parties engaged in developing international climate change policy and also works on CCS and international technology policy. His past work analyzes CCS regulatory frameworks and legislative proposals and guidelines for community engagement in CCS projects.

ACKNOWLEDGMENTS

We would like to thank the Global CCS Institute (GCCSI), the Robertson Foundation, and the UK Foreign Commonwealth Office for funding and support of this research. We are also grateful for the reviews and technical input from Tim Dixon and Luke Warren and for the insights provided by the peer-review team at WRI (Jake Werksman, Hilary McMahon, Paul Joffe, Luke Schoen, Tim Herzog, and Kelly Levin) as well as the external review team (Stig Svenningsen, Hardiv Situmeang, and Andrea Garcia Guerrero). This document also benefited from discussions with and input from many other colleagues at WRI, especially Francisco Almendra, Lutz Weischer, and Remi Moncel, and from the leadership of Ruth Greenspan Bell, Jennifer Morgan, and Janet Ranganathan.

APPENDIX A: CCS ISSUES RAISED IN THE UNFCCC, COP10 THROUGH COP15

Conference of the Parties (COP) 10, Montreal, 2005:

- Project boundary
- Leakage
- Permanence

COP12, Nairobi, 2006:

- Long-term physical leakage (seepage) levels of risks and uncertainty
- Project boundary issues (such as reservoirs in international waters, several projects using one reservoir) and projects involving more than one country (projects that cross national boundaries)
- Long-term responsibility for monitoring the reservoir and any remediation measures that may be necessary after the end of the crediting period
- Long-term liability for storage sites
- Accounting options for any long-term seepage from reservoirs
- Criteria and steps for the selection of suitable storage sites with respect to the potential for release of greenhouse gases
- Potential leakage paths and site characteristics and monitoring methodologies for physical leakage (seepage) from the storage site and related infrastructure for example, transportation
- Operation of reservoirs (for example, well-sealing and abandonment procedures), dynamics of carbon dioxide (CO₂) distribution within the reservoir and remediation issues
- Any other relevant matters, including environmental impacts

COP13, Bali, 2007 (issues identified in informal discussions)⁶⁰

- Implications of CCS activities for other Clean Development Mechanism (CDM) activities
- Long-term monitoring of leakage (seepage) and coverage area of monitoring
- Liability issues relating to the difference in time periods between the crediting period and closure of the reservoir
- Possible implications of the additional revenue generated by the CDM on increased fossil fuel production
- Relevant regulatory approaches to CCS
- Project boundary issues and projects involving more than one country
- A possible process to deal with technical issues

COP14, Poznan, 2008

- No issues identified

COP15, Copenhagen, 2009

- Non-permanence, including long-term permanence
- Measuring, reporting and verification (MRV)
- Environmental impacts
- Project activity boundaries
- International law
- Liability
- The potential for perverse outcomes
- Safety
- Insurance coverage and compensation for damages caused due to seepage or leakage

APPENDIX B: KEY TECHNICAL RESOURCES BY ISSUE

Long-Term Permanence

Intergovernmental Panel on Climate Change (IPCC)'s *Special Report on Carbon Dioxide Capture and Storage*
http://www.ipcc.ch/publications_and_data/publications_and_data_reports_carbon_dioxide.htm

International Energy Agency Greenhouse Gas R&D Programme (IEAGHG)'s *Geological Storage of Carbon Dioxide: Staying Safely Underground*
<http://www.co2crc.com.au/dls/external/geostoragesafe-IEA.pdf> (see page 16)

IEAGHG Risk Scenarios Database
<http://www.ieaghg.org/index.php?/20091223132/risk-scenarios-database.html>

World Resources Institute's *Guidelines for Carbon Dioxide Capture, Transport, and Storage*
<http://www.wri.org/publication/ccs-guidelines>

Measurement, Monitoring, and Verification

2006 IPCC Guidelines for National Greenhouse Gas Inventories Vol. 2: Energy. Chapter 5: Carbon Dioxide Transport, Injection and Geological Storage
<http://www.ipcc-nggip.iges.or.jp/public/2006gl/vol2.html>

Eggleston, H.S. "Estimation of Emissions from CO₂ Capture and Storage: the 2006 IPCC Guidelines for National Greenhouse Gas Inventories." UNFCCC Meeting: SB 24 & AWG: In-session workshop on carbon dioxide capture and storage, May 20 2006.
http://unfccc.int/files/meetings/workshops/other_meetings/2006/application/pdf/ccs_20060723.pdf

Environmental Impacts

World Resources Institute's *Guidelines for Carbon Dioxide Capture, Transport, and Storage*
<http://www.wri.org/publication/ccs-guidelines>

Example environmental impact statements (EISs):

- Gorgon Project, Australia:
http://www.epa.wa.gov.au/docs/gorgon/EIS_Gorgon_ERMP.pdf
- FutureGen Project, United States:
<http://www.netl.doe.gov/technologies/coalpower/futuregen/eis/>

Project Activity Boundaries

Greenhouse Gas Protocol's Project Protocol
<http://www.ghgprotocol.org/standards/project-protocol>

International Law

International Maritime Organization's *Risk Assessment and Management Framework for CO₂ Sequestration in Sub-Seabed Geological Structures*
http://www.imo.org/Environment/mainframe.asp?topic_id=1615

Liability

Dooley, J.J., et al. "Tipping Fees Can't Save us from the Tipping Point: The Need to Create Rational Approaches to Risk Management that Motivate Geologic CO₂ Storage Best Practices." *Energy Procedia* 1(1) (2009) 4583-4590. Proceedings of the 9th International Conference on Greenhouse Gas Control Technologies (GHGT-9), November 16-20, 2008.
<http://dx.doi.org/10.1016/j.egypro.2009.02.278>

Insurance

Trabucchi, C. and Patton, L. "Storing Carbon: Options for Liability Risk Management, Financial Responsibility." Presentation to the International Energy Agency (IEA) CCS Regulator's network.
http://www.iea.org/work/2009/ccs_regulatory/Patton.pdf

Patton, L.E. "The Future of Coal Under Climate Legislation: The Importance of Risk Management in the Commercial Deployment of CCS." Congressional testimony to United States House Energy and Commerce Committee Subcommittee on Energy and Environment, March 10 2009.
http://energycommerce.house.gov/Press_111/20090310/testimony_patton.pdf

ENDNOTES

1. IPCC, 2007: *Climate Change 2007: Synthesis Report, Summary for Policymakers*. Available at: http://www.ipcc.ch/pdf/assessment-report/ar4/syr/ar4_syr_spm.pdf.
2. IPCC, 2005: *IPCC Special Report on Carbon Dioxide Capture and Storage*. Prepared by Working Group III of the Intergovernmental Panel on Climate Change. Metz, B. et al. (eds.). Cambridge University Press, Cambridge, United Kingdom and New York, NY. Available at: http://www.ipcc.ch/publications_and_data/publications_and_data_reports_carbon_dioxide.htm.
3. IPCC Taskforce on National Greenhouse Gas Inventories. "2006 IPCC Guidelines for National Greenhouse Gas Inventories." Vol. 2: Energy. Chapter 5: Carbon Dioxide Transport, Injection and Geological Storage. Available at: <http://www.ipcc-nggip.iges.or.jp/public/2006gl/vol2.html>.
4. Eggleston, H.S. "Estimation of Emissions from CO₂ Capture and Storage: the 2006 IPCC Guidelines for National Greenhouse Gas Inventories." UNFCCC Meeting: SB 24 & AWG: In-session workshop on carbon dioxide capture and storage, May 20 2006. Available at: http://unfccc.int/files/meetings/workshops/other_meetings/2006/application/pdf/ccs_20060723.pdf (19 Nov 2010).
5. CDM Executive Board. Annex I: Implications of the Inclusion of Geological Carbon Dioxide Capture and Storage as CDM Project Activities. Draft Final Report. UNFCCC/CCNUCC EB 50. Available at: <http://cdm.unfccc.int/EB/050/eb50annagan1.pdf> (19 Nov 2010).
6. Drafting Group on Finance, Technology and Capacity-building. Development and transfer of technologies: Revision of FCCC/AWGLCA/2010/14, Chapter IV, Paragraph 8: Composition and mandate of the Technology Executive Committee. Draft text. UNFCCC. 9 October 2010. Available at: http://unfccc.int/files/meetings/ad_hoc_working_groups/lca/application/pdf/tt_09.10.2010_10.30_tec.pdf (22 Oct 2010).
7. Ad Hoc Working Group on Long-term Cooperative Action under the Convention. Negotiating text and Note by the secretariat. FCCC/AWGLCA/2010/14. UNFCCC. 13 August 2010. Available at: <http://unfccc.int/resource/docs/2010/awglca12/eng/14.pdf> (10 Nov 2010).
8. Drafting group on enhanced action on mitigation. Facilitator's reflections on the issues discussed at the meetings on 1 (b) (ii) of the Bali Action Plan. UNFCCC. 9 October 2010. Available at: http://unfccc.int/files/meetings/ad_hoc_working_groups/lca/application/pdf/1b%28ii%29.pdf (22 Oct 2010).
9. International Energy Agency. *Technology Roadmap: Carbon Capture and Storage*. 2009. Available at: http://www.iea.org/papers/2009/CCS_Roadmap.pdf (9 Mar 2010).
10. McConnell, C. et al. *Strategic Analysis of the Global Status of Carbon Capture and Storage. Report 1: Status of Carbon Capture and Storage Projects Globally*. Global CCS Institute. 2009. Available at: <http://www.globalccsinstitute.com/downloads/Reports/2009/worley/Foundation-Report-1-rev0.pdf> (9 Mar 2010).
11. Haszeldine, R. S. "Carbon Capture and Storage: How Green Can Black Be?" *Science*. 325, 1647 (2009).
12. Orr, F. M. Jr. "Onshore Geologic Storage of CO₂." *Science*. 325, 1656 (2009).
13. Tomlinson, S., Zorlu, P., and Langley, C. *Innovation and Technology Transfer*. E3G and Chatham House. Nov 2008.
14. Forbes, S.F., Almendra, F., and Ziegler, M.S. *Guidelines for Community Engagement in Carbon Dioxide Capture, Transport, and Storage Projects*. Washington, DC: World Resources Institute, 2010. Available at: <http://www.wri.org/publication/ccs-and-community-engagement> (19 Nov 2010).
15. Rochelle, G. T. "Amine Scrubbing for CO₂ Capture." *Science*. 325, 1652 (2009).
16. National Energy Technology Laboratory, U.S. Department of Energy. NETL Carbon Capture and Storage Database. Updated Nov. 2009. Available at: http://www.netl.doe.gov/technologies/carbon_seq/database/index.html (4 Feb 2010).
17. Carbon Capture & Sequestration Technologies, MIT Energy Initiative, Massachusetts Institute of Technology. Carbon Dioxide Capture and Storage Project Database. Updated: 4 Feb. 2010. Available at: <http://sequestration.mit.edu/tools/projects/index.html> (8 Feb 2010).
18. Bellona CCS Web. "Projects." Updated: 4 Feb. 2009. Available at: <http://www.bellona.org/ccs/ccs/Tema/project> (4 Feb 2010).
19. National Energy Technology Laboratory, U.S. Department of Energy. "Carbon Sequestration: CO₂ Capture." Available at: http://www.netl.doe.gov/technologies/carbon_seq/core_rd/co2capture.html.
20. Vattenfall AB. "Vattenfall's project on CCS - Schwarze Pumpe." Updated: 7 Jan 2010. Available at: http://www.vattenfall.com/en/ccs/schwarze-pumpe_73203.htm (4 Feb 2010).
21. Office of Fossil Energy, U.S. Department of Energy. "Project Fact Sheet: Design and Testing of CO₂ Compression Using Supersonic Shock Wave Technology." 2009. Available at: <http://fossil.energy.gov/fred/factsheet.jsp?doc=6606&projtitle=Design%20and%20Testing%20of%20CO2%20Compression%20Using%20Supersonic%20Shock%20Wave%20Technology> (9 Mar 2010).
22. Moore, S. "The Water Cost of Carbon Capture" *IEEE Spectrum*. June 2010, 47(6), Special Report "WATER VS. ENERGY," pp. 34-35. Available at: <http://spectrum.ieee.org/energy/environment/the-water-cost-of-carbon-capture/0>.
23. Bauer, Carl. Director, National Energy Technology Laboratory, U.S. Department of Energy. Statement before the Energy and Natural Resources Committee of the United States Senate. Available at: <http://www.netl.doe.gov/newsroom/testimony/3-10-09%20Final%20Testimony%20Bauer%20NETL.pdf>.

24. Dooley J.J., Dahowski, R.T., and Davidson, C.L. "Comparing Existing Pipeline Networks with the Potential Scale of Future U.S. CO₂ Pipeline Networks." *Energy Procedia*, 1(1) (2009) 1595-1602. Proceedings of the 9th International Conference on Greenhouse Gas Control. Available at: <http://dx.doi.org/10.1016/j.egypro.2009.01.209> (19 Nov 2010).
25. Forbes, S.F. et al. *Guidelines for Carbon Dioxide Capture, Transport, and Storage*. Washington, DC: World Resources Institute, 2008. Available at: <http://www.wri.org/publication/ccs-guidelines> (22 Oct 2010).
26. National Energy Technology Laboratory, U.S. Department of Energy. "Carbon Sequestration: Regional Carbon Sequestration Partnerships." Available at: http://www.netl.doe.gov/technologies/carbon_seq/partnerships/partnerships.html (8 Mar 2010).
27. International Energy Agency. Carbon Capture and Storage: Full-scale demonstration progress update. 2009. Available at: http://www.iea.org/GS/docs/ccs_g8july09.pdf (9 Mar 2010).
28. IEA Greenhouse Gas R&D Programme. Project Details: Sleipner Project. R, D & D Project database. Available at: http://www.co2captureandstorage.info/project_specific.php?project_id=26 (20 Oct 2010).
29. Summary and links to UNFCCC reports, submissions and decisions on CCS in the CDM. Available at: <http://cdm.unfccc.int/about/ccs/index.html>.
30. FCCC/SBSTA/2011/L.11, 8 June 2010. Draft Conclusions Proposed by the Chair on Carbon dioxide capture and storage in geological formations as clean development mechanism project activities. Available at: <http://unfccc.int/resource/docs/2010/sbsta/eng/l11.pdf>.
31. Climate and Pollution Agency, Norway. "National Inventory Report 2010: Norway." Oslo: Climate and Pollution Agency, June 25, 2010. Available at: http://unfccc.int/national_reports/annex_i_ghg_inventories/national_inventories_submissions/items/5270.php (11 Nov 2010).
32. Forbes, S.F. et al. 2009. "WRI CCS Guidelines and Emerging Geologic Sequestration Regulations: A Comparative Assessment." *Energy Procedia*, 1(1) (2009) 1759-1766. Proceedings of the 9th International Conference on Greenhouse Gas Control. Available at: <http://dx.doi.org/10.1016/j.egypro.2009.01.230> (19 Nov 2010).
33. Directive 2009/31/EC of the European Parliament and of the Council of 23 April 2009 on the geological storage of carbon dioxide and amending Council Directive 85/337/EEC, European Parliament and Council Directives 2000/60/EC, 2001/80/EC, 2004/35/EC, 2006/12/EC, 2008/1/EC and Regulation (EC) No 1013/2006. *Official Journal of the European Union*, L 140, 5.6.2009, p. 114. Available at: <http://eur-lex.europa.eu/LexUriServ/LexUriServ.do?uri=OJ:L:2009:140:0114:0135:EN:PDF>.
34. Odeh, N.A. and Cockerill, T.T. "Life cycle GHG assessment of fossil fuel power plants with carbon capture and storage." *Energy Policy*, 36(1) (2008) 367-380. Available at: <http://dx.doi.org/10.1016/j.enpol.2007.09.026> (19 Nov 2010).
35. Koornneef, J., T. van Keulen, et al. "Life cycle assessment of a pulverized coal power plant with post-combustion capture, transport and storage of CO₂." *International Journal of Greenhouse Gas Control* 2(4) (2008) 448-467.
36. Wilson E. J., Friedmann S. J., and Pollak M. F. "Research for Deployment: Incorporating Risk, Regulation, and Liability for Carbon Capture and Sequestration." *Environ. Sci. Technol.* 41(17) (2007) 5945-5952. Available at: <http://pubs.acs.org/doi/abs/10.1021/es062272t> (19 Nov 2010).
37. Rubin, E. S. et al. "Learning curves for environmental technology and their importance for climate policy analysis." *Energy*, 29 (2004) 1551-1559.
38. National Energy Technology Laboratory, U.S. Department of Energy. *Carbon Sequestration Technology Roadmap and Program Plan 2007*. Washington, DC: U.S. Department of Energy, Office of Fossil Energy, 2007. Available at: http://www.netl.doe.gov/technologies/carbon_seq/refshelf/project%20portfolio/2007/2007roadmap.pdf (11 Nov 2010).
39. Commission Decision of 8 June 2010 amending Decision 2007/589/EC as regards the inclusion of monitoring and reporting guidelines for greenhouse gas emissions from the capture, transport and geological storage of carbon dioxide. *Official Journal of the European Union*, L 155, 22.6.2010, p. 34. Available at: <http://eur-lex.europa.eu/LexUriServ/LexUriServ.do?uri=OJ:L:2010:155:0034:0047:EN:PDF>.
40. "Greenhouse Gas Reporting Program: Resources by Subpart: Subpart RR-Carbon Dioxide Injection and Geologic Sequestration." U.S. Environmental Protection Agency, October 1, 2010. Available at: <http://www.epa.gov/climatechange/emissions/subpart/rr.html> (11 Nov 2010).
41. University College London Carbon Capture Legal Programme. "Offshore Carbon Capture and Storage: International Marine Legislation: Convention on the Prevention of Marine Pollution by Dumping of Wastes and Other Matter, 1972 (London Convention)." London: University College London, (2010). Available at: <http://www.ucl.ac.uk/cclp/ccsconvention.php> (11 Nov 2010).
42. "London Protocol: Specific Guidelines for Assessment of Carbon Dioxide Streams for Disposal into Sub-Seabed Geological Formations." (Source: Annex 4 of the Report of the 29th Meeting of the Contracting Parties.) Available at: http://www5.imo.org/SharePoint/blastDataOnly.asp/data_id=25527/9-CO2SequestrationEnglish.pdf (11 Nov 2010).
43. "London Protocol Adopts Amendment Allowing for Sub-seabed Carbon Dioxide Storage." Washington, DC: World Resources Institute, 2006. Available at: http://pdf.wri.org/css_06_12_08_london_protocol.pdf (11 Nov 2010).
44. International Maritime Organization, "CO₂ Sequestration and Storage—Protocol Amendment," (June 27, 2007), Available at: http://www5.imo.org/SharePoint/mainframe.asp?topic_id=1463 (11 Nov 2010).

45. University College London Carbon Capture Legal Programme. "Offshore Carbon Capture and Storage: International Marine Legislation Protocol to the Convention on the Prevention of Marine Pollution by Dumping of Wastes and Other Matter, 1996 (London Protocol)." London: University College London, (2010). Available at: <http://www.ucl.ac.uk/cclp/ccsprotocol.php> (11 Nov 2010).
46. "Risk Assessment and Management Framework for CO₂ Sequestration in Sub-Seabed Geological Structures (CS-SSGS)." Source: LC/SG-CO2 1/7, annex 3. (June 27, 2007). Available at: http://www5.imo.org/SharePoint/blastData.asp/doc_id=8176/CO2%20SEQUESTRATION%20RAMF%202006.doc (11 Nov 2010).
47. International Marine Organization Press Release. "New International Rules to Allow Storage of CO₂ under the Seabed." Available at: http://www.imo.org/Newsroom/mainframe.asp?topic_id=1472&doc_id=7772.
48. University College London Carbon Capture Legal Programme. "Offshore Carbon Capture and Storage: European and Regional Marine Legislation: Convention for the Protection of the Marine Environment of the North East Atlantic, 1992 (OSPAR)." London: University College London, (2010). Available at: <http://www.ucl.ac.uk/cclp/ccsoffeuropespar.php> (11 Nov 2010).
49. University College London Carbon Capture Legal Programme. "Offshore Carbon Capture and Storage: European and Regional Marine Legislation." London: University College London, (2010). Available at: <http://www.ucl.ac.uk/cclp/ccsoffeuropemarine.php> (11 Nov 2010).
50. Interagency Task Force on Carbon Capture and Storage. "Report of the Interagency Task Force on Carbon Capture and Storage." August 2010. Available at: http://www.epa.gov/climatechange/policy/ccs_task_force.html (15 Nov 2010).
51. Clean Coal and CCS Technology Development Pathways Initiative. "Executive Summary: Clean Coal and CCS Technology Development Pathways Initiative. Participant Input." Office of Senator Byron L. Dorgan, Fall 2009. Available at: <http://dorgan.senate.gov/issues/energy/cleancoal/executivesummary.pdf> (15 Nov 2010).
52. Fogarty, J. and McCally, M. "Health and Safety Risks of Carbon Capture and Storage." *JAMA*, 303(1) (2010) 67-68.
53. Forbes, S. M., Benson, S. M., and Friedmann, S. J. "Carbon Capture and Storage." *JAMA*, 303(16) (2010).
54. Fogarty, J. and McCally, M. "Carbon Capture and Storage—Reply." *JAMA*, 303(16) (2010).
55. "Policy Brief: Compensation, Liability and Long-Term Stewardship for CCS." Pittsburgh, PA: Carnegie Mellon University, CCSReg Project, July 13, 2009. Available at: http://www.ccsreg.org/pdf/LongTermLiability_07132009.pdf (15 Nov 2010).
56. "Views related to carbon dioxide capture and storage in geological formations as a possible mitigation technology." UNFCCC, SBSTA, April 13, 2010. Available at: <http://unfccc.int/resource/docs/2010/sbsta/eng/misc02.pdf> (15 Nov 2010).
57. "Brazilian Submission on the Possible Inclusion of Carbon Dioxide Capture and Storage in Geological Formation (CCS) in the Clean Development Mechanism." FCCC/SBSTA/2010/MISC.2/Add.1. Subsidiary Body for Scientific and Technological Advice, May 31, 2010. Available at: <http://unfccc.int/resource/docs/2010/sbsta/eng/misc02a01.pdf> (11 Nov 2010).
58. Patton, L.E. "The Future of Coal Under Climate Legislation: The Importance of Risk Management in the Commercial Deployment of CCS." Congressional testimony to United States House Energy and Commerce Committee Subcommittee on Energy and Environment. (10 Mar 2009). Available at: http://energycommerce.house.gov/Press_111/20090310/testimony_patton.pdf (19 Nov. 2010)
59. Dooley, J.J., Trabucchi, C., Patton, L. 2009. "Design considerations for financing a national trust to advance the deployment of geologic CO₂ storage and motivate best practices." *Energy Procedia*, 4(2) (2010) 381-387. Available at: <http://dx.doi.org/10.1016/j.ijggc.2009.09.009> (19 Nov 2010).
60. World Coal Institute. "CCS & the Clean Development Mechanism: A Submission About Carbon Dioxide Capture and Storage in Geological Formations as Clean Development Mechanism Project Activities." Submission to in response to decision FCCC/SBSTA/2007/L.19. Available at: <http://unfccc.int/resource/docs/2008/smsn/ngo/023.pdf>.

ABOUT THE WORLD RESOURCES INSTITUTE

The World Resources Institute is an environmental think tank that goes beyond research to create practical ways to protect the Earth and improve people's lives. Our mission is to move human society to live in ways that protect Earth's environment for current and future generations.

Our program meets global challenges by using knowledge to catalyze public and private action:

- **To reverse damage to ecosystems.** We protect the capacity of ecosystems to sustain life and prosperity.
- **To expand participation in environmental decisions.** We collaborate with partners worldwide to increase people's access to information and influence over decisions about natural resources.
- **To avert dangerous climate change.** We promote public and private action to ensure a safe climate and sound world economy.
- **To increase prosperity while improving the environment.** We challenge the private sector to grow by improving environmental and community wellbeing.

In all of our policy research and work with institutions, WRI tries to build bridges between ideas and actions, meshing the insights of scientific research, economic and institutional analyses, and practical experience with the need for open and participatory decision-making.

For more information, visit WRI's website at <http://www.wri.org>.

Each World Resources Institute brief presents a timely, scholarly treatment of a subject of public concern. WRI takes responsibility for choosing the study topics and guaranteeing its authors and researchers freedom of inquiry. It also solicits and responds to the guidance of advisory panels and expert reviewers. Unless otherwise stated, however, all the interpretation and findings set forth in WRI publications are those of the authors.